Sorry for the delay. I was double booked this morning. The eCoastal workshop will begin at 8:30.

I will be demonstrating a Jetty Condition Application in the other workshop from 8:00 – 8:20.



eCoastal in a Nutshell:

An Introduction to the eCoastal Program & Custom Applications



Rose Dopsovic
Spatial Data Branch, Mobile District
Rose.Dopsovic@us.army.mil
251.680.4047

http://eCoastal.sam.usace.army.mil
http://gis.sam.usace.army.mil

Regional Approach

- In the past, the US Army Corps of Engineers (USACE) has focused on managing sand at coastal projects on a project-by-project basis.
- This approach to sand management may not adequately consider the impact of individual projects on down drift projects.
- A regional approach allows leveraging of:
  1. Resources
  2. Applications
  3. Database Architectures
- eGIS supports regional business center
  1. More efficient use of resources
  2. Propagate effective, more accurate and informed decision-making
  3. Increase access and dissemination of digital information

Introduction: What is eGIS?

Enterprise GIS is defined as *the integration of geospatial technology infrastructure to deliver spatial information products, services and standard datasets to all business elements and processes of the organization.*



The concept of enterprise GIS (eGIS) is taking a complete organizational approach to sharing, using, and managing spatial information.

Introduction: What is eCoastal?

eCoastal is an enterprise GIS developed for coastal engineering business practices. It was developed to concentrate on the specific needs of the coastal engineer.

eCoastal is an architecture developed by the U.S. Army Corps of Engineers that addresses spatial data standards (SDS), geodatabase development, and desktop and web applications. It was designed as data management solution to provide baseline information for effective planning and prediction of regional and local coastal processes.

This architecture allows adjacent coastal projects to effectively share and access data contained in the system.

Introduction: Architecture Overview

The centralized geodatabase serves as the data repository for all spatial data accessed by the enterprise GIS applications. The underlying format of the enterprise database (SQL or ORACLE) is at the discretion of the local District Office.

Data collected or created for all coastal projects are imported into the geodatabase. Only one geodatabase exists to serve data to the public, via the Internet accessible interface, and to support the internal applications.



Introduction: Architecture Overview

Natively, users can browse the geodatabase using ESRI's ArcCatalog™ or ArcMap™. However with eCoastal, a series of custom applications have been developed for ESRI's desktop products as well as the internet accessible, ArcIMS™ platform.

These applications were designed to assist the users of the enterprise system with access and analysis of the coastal data. Applications have been developed to support the needs of the existing and future coastal projects, such as the Regional Sediment Management, Dredge Material and Management Plan, or the National Shoreline Management projects.



eCoastal System



USACE Coastal CoP Meeting and Workshop

Application Demonstration – Data Viewer & Imagery Manager

The eCoastal's eGIS Toolbox was created as a comprehensive set of applications that enable stakeholders in management decisions to explore the broad spatial and temporal impacts of potential management actions.

In the U.S. Army Corps of Engineers (USACE), these tools have emerged as necessary components for effective planning and prediction of regional and local coastal processes. A geographic information system with specialized applications was developed to provide baseline information for regions including hydrographic and topographic data, shoreline position, aerial and oblique photography, hyperspectral imagery, dredging records, nautical charts, and other data regarding regional utilities, infrastructure, and land use.

This demonstration will show the utility of the Data Viewer Tools and Imagery Manager toolbars.

Application Demonstration – Beach Profile Importer

Beach profiles can be delivered in a variety of formats. Not all formats are directly compatible with ArcMap. The Beach Profile tool was designed to allow you to import profile data that currently exists in a distance-azimuth format.

The Profile Loader application reads all values listed in the text file, and transposes them into an XYZ format. The application also places values stored in the header how and automatically places them in a metadata file. When data is converted into this format, ArcGIS can plot the file.



```
SARASOTA          1978  CONDITION (ok ef 2/97) (83/90 H DATUM)
R-3       MAR1974800 1109529.900   448767.700 245.0010.89
          09MAY78            10  0 10  0

  -13.0    10.65    20.0V    9.50    25.0     6.31    26.0     5.90    48.0     4.70
   75.0     1.75   125.0    -2.08   135.0    -2.76   149.0    -5.17   175.0    -6.32
R-8       MAR1974 00 1105254.000   451243.200 235.00 8.52
          09MAY78            12  0 12  0

      .0    7.85     4.1W    7.56     5.7     7.56     7.0     3.85    14.0     3.60
   21.0     4.12    50.0     -.30    53.0    -1.65    60.0    -2.03    62.0    -1.50
  100.0    -1.82   150.0    -4.51
R-14      MAR1974 00 1100367.100   454819.100 235.00 7.09
          09MAY78            13  0 13  0

      .0    6.76    33.0     7.13    44.0     6.74    50.0     7.99    56.0V    8.33
   57.0     7.08    62.0     5.03    73.0     3.54   100.0     1.43   150.0     -.51
  174.0    -2.27   180.0    -2.80   200.0    -4.03
R-19      MAR1974 00 1096631.800   458053.600 230.00 5.60
          09MAY78            11  0 11  0

      .0    5.21    15.0V    5.13    16.0     4.54    30.0     3.00    43.0     3.28
   50.0     3.23    65.0     3.01   100.0     1.11   150.0     -.25   200.0    -2.04
  250.0    -5.41
R-20      MAR1974 00 1095894.100   458740.200 230.00 6.08
          09MAY78             8  0  8  0
```

Application Demonstration – Survey Tools

Lidar data is an integral part for data analysis in coastal engineering. The eGIS: Survey Toolbar was specifically designed for coastal engineers to simplify the formatting process of lidar datasets.



You can:

- Generate contiguous TIN or grid surfaces based off of existing point files.
- Calculate the Volume Difference between surveys.
- Cut, extract and view Profile data from surfaces.
- View surface in 2D window.

Before these tools can be utilized, lidar data must be properly formatted.

Application Demonstration – SBAS-A

The **Sediment Budget Analysis System** (SBAS) provides a framework for formulating, documenting, and calculating sediment budgets, including estimation of uncertainty, hence the reliability of the budget. SBAS allows representation of multiple inlets within a sediment budget that can be local or regional. The model formulates a sediment budget by allowing the user to create a series of cells and arrows representing sources and sinks which characterize the conceptual budget. Sediment budget cells, arrows expressing directions of net, east-, and west-directed transport rates, and notation of P and R values comprise what is called the sediment budget topology.



eCoastal Applications in Development

- Survey Management Application
- Jetty Condition Survey
- Coastal Structures Application
- Silent Inspector Ocean Disposal Monitoring Program


Survey Application
eGIS: Data Viewer Tools
Process Surveys
Survey Information
Survey ID:
File Name:
Date of Survey:
Loaded by user:
Output Table:
Orig Projection:
New Process
Automate 1-6
1. Select Survey for Pre-Processing
2. Generate Shapefiles
Create Shapefile Orig Projection
Create Geo WGS84 Shapefile
3. Bounding Polygon & Vertex Export
Create Survey Area Boundary
Export Boundary Vertices to DB
4. Survey Attributes & Export Image
Insert Project Codes
Insert StationIDs (Buffered)
Export Image for Verification
5. Generate Finished ASCII Data
Pre-Process for Bulk Insert
1. Post-Processing
Post-Process & Bulk Insert
Load post-processed surveys into geodatabase
Build post-processed survey layer files
Layers
Display
Source
Selection


OP-J ArcIMS Viewer - Microsoft Internet Explorer
File Edit View Favorites Tools Help
Survey Application
Online GIS Maps
home help map room
Display Settings
Zoom to Scale
Change
Layers/L
Dredge Ch
AL-Mobile Bar Char
USGS Quad
GIWW
Boring L
Disposal
Named Fe
Specie
Federal P
Locate Coo
Enlarge
Legal Disc
Bienville Blvd
DI Ferry Channel
Little Dauphin Island
Little Point Clear
Report - Microsoft Internet Explorer
1 of 1+
100%
powered by crystal
Summary
2/10/2005
FROM STATION ID
TO STATION ID
FROM END AREA
TO END AREA
MB_02046+0
MB_02020+0
0.00
0.00
DISTANCE - FT (STATION to STATION)
CUBIC FEET
CUBIC YARDS
2,599.92
0.00
0.00
FROM STATION ID
TO STATION ID
FROM END AREA
TO END AREA
MB_02020+0
MB_02021+0
0.00
126.88
DISTANCE - FT (STATION to STATION)
CUBIC FEET
CUBIC YARDS
99.72
6,326.20
234.30
FROM STATION ID
TO STATION ID
FROM END AREA
TO END AREA
MB_02021+0
MB_02022+0
126.88
199.41
DISTANCE - FT (STATION to STATION)
CUBIC FEET
CUBIC YARDS
100.72
16,431.87
608.59
FROM STATION ID
TO STATION ID
FROM END AREA
TO END AREA
MB_02022+0
MB_02023+0
199.41
179.11
DISTANCE - FT (STATION to STATION)
CUBIC FEET
CUBIC YARDS
99.72
18,872.48
698.98
Width of map:48944 FEET
0
6000ft
Map Datum: Geographic WGS-

Survey Application

Sounding Point




US Army Corps of Engineers GIS Division - Mobile - Microsoft Internet Explorer
Handwriting
Drawing Pad
File Edit View Favorites Tools Help
Links EI2RC GIS-Intra eGIS Management DEV - Spatial Data Branch
Address http://precision1.3001data.com/USACE.MOBILE.EGIS/
Go
Google
Search
52 blocked
Check
AutoLink
AutoFill
Options
Online GiS Maps
home
Zoom to Scale
(Map Scale)
Change Active Layer
*ImageDirectory
Project
Layers
Legend
Select Project:
Panama City/St. Andrew's I
Select Feature:
East Jetty
Zoom to Feature
View Cross Section
http://precision1.3001data.com - CoastalGraph - Microsoft Internet Explorer
Online GiS Maps
Coastal Structure Profile
Jetty Name:East Jetty
Label Area
Track On Map
Sea Level
0
Update
Generate Report
Area of Change: 1.58SF
15
10
5
0
-5
-10
-15
-20
-25
First
Previous
CS: 1
Next
Last
Active Survey:
Previous Survey
9/1/2003
Next Survey
Calculate Missing Volume Between (Active Survey Only):
CS: 2
and
CS: 2
Cubic Yards
Calculate
Include In Report
Done
Internet
0 Features Selected


US Army Corps of Engineers GIS Division - Mobile - Microsoft Internet Explorer
Handwriting
Drawing Pad
File Edit View Favorites Tools Help
Links EI2RC GIS-Intra eGIS Management DEV - Spatial Data Branch
Address http://precision1.3001data.com/USACE.MOBILE.EGIS/
Go
Google
Search
52 blocked
Check
AutoLink
AutoFill
Options
Online GiS Maps
home
Zoom to Scale
(Map Scale)
Change Active Layer
*ImageDirectory
Project
Layers
Legend
Select Project:
Panama City/St. Andrew's I
Select Feature:
East Jetty
Zoom to Feature
View Cross Section
http://precision1.3001data.com - CoastalGraph - Microsoft Internet Explorer
Online GiS Maps
Coastal Structure Profile
Jetty Name:East Jetty
Label Area
Track On Map
Sea Level
0
Update
Generate Report
Area of Change: 64.22SF
15
10
5
0
-5
-10
First
Previous
CS: 80
Next
Last
Active Survey:
Previous Survey
9/1/2003
Next Survey
Calculate Missing Volume Between (Active Survey Only):
CS: 2
and
CS: 2
Cubic Yards
Calculate
Include In Report
Done
Internet
0 Features Selected

http://precision1.3001data.com - Selected Feature Report - Microsoft Internet Explorer

File Edit View Favorites Tools Help

Google Search 52 blocked Check AutoLink AutoFill Options

USACE Jetty Condition Report

East Jetty

Online GiS Maps

Survey Information

Survey Date: 9/1/2003
Cross Section Number: 1
Area of Change: 1.58 sf

Jetty Information

Operation Status: RUINED
Latitude: -85.7283
Longitude: 30.1191
Design Cap Elevation: 6
Design Cap Width: 15
Design Base Elevation: -55
Design Base Width: 200



Fig. 1A - *Curent Cross Section Selection*



Fig. 1B - *Lidar Generated Cross Section Profile Against Original Desgin Profile*

Jetty Condition:

Comments:

Done Internet

Questions?

Visit the eCoastal training modules online at – http://gis.sam.usace.army.mil/programs/project.asp?id=W001